

HONDA

1982

BIG RED™



BIG RED™



From starter to finish, the most complete three-wheeler ever.

At the start of a working day, starting your vehicle should be as easy as possible. And easy starting is just what you'll get from Honda's new ATC® 200E.

Just push Big Red's™ starter button and its powerful, 192 cc four-stroke engine is ready to go. With the kind of power and reliability Honda four-strokes are famous for.

To complement the electric starter, the engine is equipped with a maintenance-free CD ignition that's unaffected by dirt or

moisture. So, not only does the ATC® 200E start easily, it'll start in almost any conditions.


And, like all the ATC® three-wheelers, once it's going there's almost no stopping it. Unless, of course, you use the front drum brake and fully sealed rear brake.

The ATC® 200E's front suspension and high flotation, deep cleat tires will take you almost anywhere. Their deep cleat pattern is designed to go through sand, mud, hard packed

snow, dirt and even shallow streams.

And the special dual-range transmission has two separate gear ranges that can be changed with just a flick of your wrist. A low-range for jobs that require more pulling power and a higher range for normal riding conditions.

But there's a lot more to work than getting yourself to the job sight. You have to get your tools there too.



Maintenance-free CD ignition is unaffected by dirt or moisture.

A torquey, reliable four-stroke engine.

Dual-range transmission offers a low-range gear setting and a normal one. Five in low, five in high.



The electric starter is easy to use and handlebar mounted.

And the ATC® 200E is equipped to haul anything from your lunch to your horse's lunch. On the front and rear, carrier racks with a maximum load capacity of 22 pounds and 100 pounds respectively. On the rear, a 9.2 liter storage compartment and a trailer hitch that can haul up to 700 pounds.

If you have to work the night shift, no problem. Big Red comes with a high wattage headlight in a protective cage and an electrical accessory terminal.

Some other features that make the ATC® 200E an ideal work vehicle include a large capacity 3.4 gallon fuel tank, a handlebar mounted choke knob and ignition switch, a sealed O-ring drive chain, a 12-volt battery and a tool kit compartment. Everything a working man needs. Except a long list of options.


The electric starting ATC® 200E. This could be the start of something big... Big Red.



1. Telescopic front suspension.



2. Front carrier rack and protective headlight cage.




3. Rear carrier rack.



4. Rear storage compartment.



5. Trailer hitch.



6. Fully enclosed rear drum brake.



1. A soft-riding telescopic front fork suspension.
2. Standard front carrier rack and a high wattage headlight in a protective cage.
3. Standard rear carrier rack holds up to 100 pounds.
4. Standard large capacity 9.2 liter storage box.
5. Standard trailer hitch hauls up to 700 pounds.
6. A fully sealed rear drum brake.

7. Easy-to-use electric starter.
8. Dual-range transmission offers you a high and low setting: Five gears in the high range, five in the low for a total of ten different gear ratios.
9. Two-amp electrical accessory terminal.
10. Deep cleat pattern tires are tough and versatile.
11. Maintenance-free CDI.
12. Cleated foot pegs and brake pedal for muddy conditions.

1982 SPECIFICATIONS BIG RED (ATC 200E)

Engine	192 cc air-cooled OHC single-cylinder four-stroke
Bore and Stroke	65 mm x 57.8 mm
Compression Ratio	7.8:1
Carburetor	22 mm piston valve type
Ignition	Magneto capacitor discharge
Starter	Recoil and electric
Clutch	Automatic
Transmission	Five-speed. Dual-range.
Length	72.8 inches
Width	42.1 inches
Height	39.6 inches
Wheelbase	47.2 inches
Seat Height	27 inches
Fuel Capacity	3.4 gallons, including 0.3 gallon reserve
Front Suspension	Telescopic forks
Ground Clearance	4.3 inches
Tires	25x12-9 high flotation
Dry Weight	341.8 pounds
Color	Red
Optional Hondaline® Equipment	Trip meter, rear carrier strap, front basket.



Pulling gang mowers is just one of the endless number of jobs Big Red's™ trailer hitch is capable of.

The standard rear carrier rack supports up to 100 pounds and comes with mounting plates specially designed to hold the Honda EM500 generator.

Trailer, gang mower and Honda EM500 generator as shown are not standard equipment.

ALWAYS WEAR A HELMET AND EYE PROTECTION. Designed for off-road, operator use only. Specifications and availability subject to change without notice. ©1982 American Honda Motor Co., Inc. Printed in U.S.A. A0045

HONDA
FOLLOW THE LEADER